

TEST REPORT NO 16712/23/GDY

Client SFD SPÓŁKA AKCYJNA GŁOGOWSKA 41 45315 OPOLE		Sample (according to declaration of Client) Sample description: ALLNUTRITION PRO WHEY+ 700 g vanilla cream Sample No 1 Batch: 45822511 Expiry date: 30.11.2024
Sample reception date:	13.01.2023	Sample status: no objections Sample received from the Client
Start of analysis	14.01.2023	
End of analysis	27.01.2023	
Test report date	27.01.2023	

Test Method	Unit	Result
* # Sugars - profile ¹⁾ SLMB No. 501.2:2008, mod., SOP:00.15610.L		
Fructose	g/100 g	<0,1
Galactose	g/100 g	0,2
Glucose	g/100 g	0,2
Sucrose	g/100 g	<0,1
Lactose	g/100 g	2,0
Maltose	g/100 g	0,7
Maltotriose	g/100 g	0,8
Sugar (total mono- and disacharides)	g/100 g	3,1
* Moisture PN-ISO 5550:2010	%	5,44
* Protein (N*6,38) on dry matter Calculated	g/100 g	81,9
* Protein (N*6,38) PB-116 ed. III of 11.08.2020	g/100 g	77,4
* Fat PB-286 ed. I of 26.09.2014	g/100 g	2,8
* Number of Bacillus coagulans at 55°C PB-405 ed. I 18.12.2019	cfu/g	4,0x10 ⁷

1) The symbol "<" means below the limit of quantification of the analytical method.

Test: Sugars - profile was performed in laboratory with an accreditation number D-PL-14038-01-00

Authorized by:
 Aleksandra Makowska, Senior Analysis Specialist, Classical Analysis Laboratory
 Ewelina Kłosowska, Analysis Expert, Microbiology Laboratory
 Joanna Śpiewak, Analysis Expert, Classical Analysis Laboratory
 Magdalena Ceran, Senior Analysis Specialist, Classical Analysis Laboratory
 Subcontracted test results are authorised by persons authorised by the external provider.

TEST REPORT NO 16712/23/GDY

The test report bears the certified electronic seal of J.S. Hamilton Poland Sp. z o.o.

Laboratory address:
Chwaszczyńska 180, 81-571 Gdynia

THE END OF THE REPORT

The results refer only to the samples received. When a measurement uncertainty is given, it is an expanded uncertainty estimated for a coverage factor $k=2$ at 95% confidence level and is not including sampling uncertainty, unless otherwise stated. When the conformity/non-conformity is stated J.S. Hamilton Poland Sp. z o.o. applies the simple acceptance decision rule in accordance with ILAC-G8:09/2019, unless otherwise reported. If the "result" column of the accredited method contains a record: "<" or ">", it means, that it is the test outcome directly related to the lower or upper limit of the measuring range of the accredited method, whereas the given expanded measurement uncertainty relates only to the lower or upper limit of the measuring range of the accredited method respectively. In such a case, the Laboratory presents the opinion and interpretation in the "statement of conformity/non-conformity" column, which is based on the obtained test outcome. This test report may not be copied in part without the prior written permission of J.S. Hamilton Poland Sp. z o.o. The responsibility of J.S. Hamilton Poland Sp. z o.o. is limited solely to the data issued in its original. J.S. Hamilton Poland Sp. z o.o. does not permit the use of the PCA accreditation symbol AB 079 by customers, subcontractors, external service providers and other third parties. For further information please refer to the PCA document - DA-02. The service confirmed by this report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on www.hamilton.com.pl.

* Test method accredited

Test performed by external provider