

TEST REPORT NO 563261/23/GDY

Client SFD SPÓŁKA AKCYJNA GŁOGOWSKA 41 45315 OPOLE		Sample (according to declaration of Client) Sample description: ALLNUTRITION R-ALA 90 kap Batch: AN230507
Sample reception date:	14.10.2023	Sample status: no objections Sample received from the Client
Start of analysis	16.10.2023	
End of analysis	20.10.2023	
Test report date	20.10.2023	

Test Method	Unit	Result
* Polycyclic aromatic hydrocarbons / PAHs ^{1) 2)} PB-117/HPLC ed. VI of 20.01.2019		
Benzo(a)pyrene	µg/kg	< 1,0 (1,0 ± 0,2)
Sum of PAHs (benzo(a)pyrene, benz(a)anthracene, chrysene, benzo(b)fluoranthene)	µg/kg	below quantification limit
* Content of elements PN-EN 15763:2010		
Lead (Pb)	mg/kg	0,061
Cadmium (Cd)	mg/kg	0,24
Mercury (Hg)	mg/kg	0,0022

- The lower limit of the measuring range of the accredited method, which is also the limit of quantification set by the Laboratory.
- Limit of quantification for benzo(a)pyrene, benz(a)anthracene, chrysene, benzo(b)fluoranthene: 1,0 (1,0 ± 0,2) µg/kg.

Authorized by:
 Agnieszka Florek, Spectroscopy Laboratory Manager, Spectrometry Laboratory
 Kamila Skolmowska, Analysis Expert, Liquid Chromatography Laboratory

The test report bears the certified electronic seal of J.S. Hamilton Poland Sp. z o.o.

Laboratory address:
 Chwaszczyńska 180, 81-571 Gdynia

The results refer only to the samples received. When a measurement uncertainty is given, it is an expanded uncertainty estimated for a coverage factor k=2 at 95% confidence level and is not including sampling uncertainty, unless otherwise stated. When the conformity is stated J.S. Hamilton Poland Sp. z o.o. applies the simple acceptance decision rule in accordance with ILAC-G8:09/2019, unless otherwise reported. If the "result" column of the accredited method contains a record: "<" or ">", it means, that it is the test outcome directly related to the lower or upper limit of the measuring range of the accredited method, whereas the given expanded measurement uncertainty relates only to the lower or upper limit of the measuring range of the accredited method respectively. In such a case, the Laboratory presents the opinion and interpretation in the "statement of conformity" column, which is based on the obtained test outcome. This test report may not be copied in part without the prior written permission of J.S. Hamilton Poland Sp. z o.o. The responsibility of J.S. Hamilton Poland Sp. z o.o. is limited solely to the data issued in its original. J.S. Hamilton Poland Sp. z o.o. does not permit the use of the PCA accreditation symbol AB 079 by customers, subcontractors, external service providers and other third parties. For further information please refer to the PCA document - DA-02. The service confirmed by this report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on www.hamilton.com.pl.

* Test method accredited
 # Test performed by external provider

THE END OF THE REPORT